arkay

PROFESSIONAL COLOR PROCESSING EQUIPMENT

AUTOMATIC COLOR PROCESSOR



Automatically Processes Color Prints and Negatives in Sheet or Roll Form

Now you can have 100% consistent color processing of the highest quality every time by just flipping a switch. Arkay Automatic Processor makes it that easy . . . that perfect! Just select the process desired, flip the start switch and walk away. The Arkay Processor takes over the timing, transporting, agitation and washing through every step automatically. Arkay Automatic Processor will automatically produce up to 184 8 x 10 (or proportionate number of other sizes up through 20 x 24) per load with standard 10 gal. tanks; up to 1840 8 x 10 prints per 6½-hour day.

Arkay Automatic Processor may be easily recycled by you, so it will never be outdated by chemical or material changes. Available complete with tanks *or may be ordered to fit your existing straight line processing tanks to eliminate duplication.*

Here's how the new Arkay Automatic Processor saves you money and time. Eliminates your processing payroll. Frees you and other personnel for more creative functions that really pay off . . . like selling, research, shooting. Insures 100% consistent results so important in color processing. Stops waste of chemicals, paper, "do it over." Even cuts your tax payments. And best of all, it will pay for itself in less than one year. Net users prices start at only $3350.00. Write for free booklet: "Invitation to Automation."



SEMI-AUTOMATIC COLOR PROCESSOR

Model 1620-14CP
$3045.00

THE MOST VERSATILE PROCESSOR ON THE MARKET



3½ gal. 16 x 20 setup. For all color papers plus Ektacolor print film.



10 gal. 16 x 20 setup. For all color papers and Ektacolor print film.



3½ gal. 16 x 20 plus 2 gal. 8 x 10 setup. For all color papers plus roll film and sheet film.



3½ gal. 8 x 10 setup. For all color papers plus roll film and sheet film.

Most functional, versatile and economical system for prints 16″ x 20″ and smaller. All chemical tanks centered around quick dump tanks. Has a wash tank *and* a water jacket regulator. Extra large sump tank. The 3½ gal. 16″ x 20″ set up processes 12 16″ x 20″, 14″ x 17″, 11″ x 14″, or 48 8″ x 10″ prints per load. Width, 35½″; length, 68″; height, 33″. Complete, ready to install. Price includes timer, Saran basket, regulators, spray attachment, gas pressure gauges, vacuum drain.

Write factory for complete brochure on this as well as other model processing systems.

A COMPLETE LINE OF CUSTOM STAINLESS STEEL SINKS

FEATURE FOR FEATURE AMERICA'S FINEST!



CHECK ARKAY'S PROFESSIONAL QUALITIES FOR THE LAST WORD IN BEAUTY AND FUNCTIONAL DESIGN:

• Heavy lifetime 316 SS • Heliarc welded into one solid seamless piece • No seams to catch sediment or chemicals • Every corner (inside and outside) rounded to ½″ radius — easy to clean, reduces maintenance, increases life • Stainless steel is burnished, polished and undercoated with a special material to prevent condensation • 1½″ I.P.S. drain fitting is placed in right rear corner (may be ordered in any special position). Also available with square inside corners.

COMPARE! THEN YOU'LL KNOW THIS IS THE FINEST SINK MONEY CAN BUY!!



CUTAWAY SECTION
Showing Full ½″ Radius on Inside Contour



TYPE 1
Round Inside Contour Sink Only Without Splash Panel

TYPE 2
Round Inside Contour Sink Only With Splash Panel

TYPE 3
Square Inside Corners Sink Only Without Splash Panel

TYPE 4
Square Inside Corners Sink Only With Splash Panel

Inside Sink Dimension W x L x D	TYPE 1 Model No.	Price	TYPE 2 Model No.	Price	TYPE 3 Model No.	Price	TYPE 4 Model No.	Price
18″x 36″x 6″	S-1836	$144.00	SP-1836	$170.00	SQ-1836	$119.50	SQP-1836	$143.00
18″x 60″x 6″	S-1860	177.00	SP-1860	206.00	SQ-1860	149.00	SQP-1860	175.00
18″x 96″x 6″	S-1896	210.00	SP-1896	284.00	SQ-1896	180.00	SQP-1896	245.00
22″x 36″x 5″	S-2236	150.00	SP-2236	172.00	SQ-2236	122.00	SQP-2236	145.00
22″x 48″x 5″	S-2248	168.50	SP-2248	201.00	SQ-2248	141.50	SQP-2248	171.00
22″x 60″x 5″	S-2260	190.00	SP-2260	228.00	SQ-2260	160.00	SQP-2260	195.00
22″x 72″x 5″	S-2272	197.00	SP-2272	248.00	SQ-2272	167.00	SQP-2272	213.00
22″x 84″x 5″	S-2284	219.50	SP-2284	278.50	SQ-2284	187.00	SQP-2284	240.00
22″x 96″x 5″	S-2296	245.00	SP-2296	313.00	SQ-2296	210.00	SQP-2296	275.00
22″x108″x 5″					SQ-22108	225.00	SQP-22108	310.00
22″x120″x 5″					SQ-22120	259.50	SQP-22120	355.00
30″x 36″x 7″	S-3036	175.00	SP-3036	206.00	SQ-3036	145.00	SQP-3036	176.00
30″x 48″x 7″	S-3048	190.00	SP-3048	216.00	SQ-3048	161.00	SQP-3048	196.50
30″x 60″x 7″	S-3060	232.00	SP-3060	277.00	SQ-3060	198.00	SQP-3060	243.00
30″x 72″x 7″	S-3072	259.50	SP-3072	314.00	SQ-3072	223.00	SQP-3072	277.50
30″x 84″x 7″	S-3084	295.00	SP-3084	355.00	SQ-3084	255.00	SQP-3084	315.00
30″x 96″x 7″	S-3096	315.00	SP-3096	384.00	SQ-3096	275.50	SQP-3096	344.00
30″x108″x 7″					SQ-30108	300.00	SQP-30108	372.50
30″x120″x 7″					SQ-30120	332.00	SQP-30120	415.00
36″x 36″x10″	S-3636	197.00	SP-3636	227.00	SQ-3636	167.50	SQP-3636	197.00
36″x 48″x10″	S-3648	235.00	SP-3648	268.00	SQ-3648	199.00	SQP-3648	232.00
36″x 60″x10″	S-3660	275.00	SP-3660	320.00	SQ-3660	240.00	SQP-3660	284.50
36″x 72″x10″	S-3672	312.00	SP-3672	364.50	SQ-3672	272.50	SQP-3672	325.00
36″x 84″x10″	S-3684	350.00	SP-3684	410.00	SQ-3684	310.00	SQP-3684	370.00
36″x 96″x10″	S-3696	365.00	SP-3696	430.00	SQ-3696	325.00	SQP-3696	389.50
36″x108″x10″					SQ-36108	339.50	SQP-36108	415.00
36″x120″x10″					SQ-36120	370.00	SQP-36120	454.00
47″x 48″x10″	S-4748	380.00	SP-4748	415.00	SQ-4748	340.00	SQP-4748	375.00
47″x 60″x10″	S-4760	409.50	SP-4760	455.00	SQ-4760	369.00	SQP-4760	415.00
47″x 72″x10″	S-4772	436.00	SP-4772	490.00	SQ-4772	396.00	SQP-4772	450.00
47″x 84″x10″	S-4784	450.00	SP-4784	514.00	SQ-4784	410.50	SQP-4784	474.50
47″x 96″x10″	S-4796	465.00	SP-4796	520.00	SQ-4796	425.00	SQP-4796	490.50
47″x108″x10″					SQ-47108	448.50	SQP-47108	525.00
47″x120″x10″					SQ-47120	496.00	SQP-47120	585.00

Stand and shelf available for all sizes.
All prices F.O.B. factory and include packing and/or crating.

WRITE TO FACTORY FOR COMPLETE CATALOG

ARKAY

EFFICIENCY EQUIPMENT FOR YOUR DARKROOM

FIBERGLASS SINKS

for dependable service at a budget price



EVERY SINK FEATURES BUILT-IN DUCK BOARD

YOU'LL FIND ALL THESE IMPORTANT FEATURES ONLY IN AN ARKAY FIBERGLASS SINK

You'll like the beauty of these rigid sinks, their smooth, clean lines and rich "gold-tone" color. Built-in duck board in bottom of sink keeps your "extra" costs down. Deep sink design prevents splash-out. Large 1½" stainless steel drain. One-piece seamless construction with every corner rounded inside and out . . . eliminates dirt traps . . . makes smooth surface easy to wipe down. High corrosion resistance unaffected by photographic chemicals. Will not sweat. Extra-heavy fiberglass gives years of service. High splash panel with deep back panel conceals all plumbing connections.

FIBERGLASS SINKS	SIZE	PRICE
6" DEEP NO SPLASH PANEL NSP STYLE	24 x 72	$128.00
	36 x 48	122.00
	36 x 108	262.00
10" DEEP WITH 7" HIGH SPLASH PANEL WSP STYLE	18 x 48	155.00
	24 x 48	164.00
	30 x 48	170.00
6" DEEP WITH 7" HIGH SPLASH PANEL WSP STYLE	18 x 60	145.00
	24 x 72	197.00
	24 x 84	205.00
	30 x 60	189.00
	30 x 72	220.00
	30 x 84	242.00
	30 x 96	314.00

Stands and shelves available for all sizes.
All prices F.O.B. factory and including packing and/or crating.

PROFESSIONAL DRYERS

5 TO 8 MINUTES DOES IT!
FOR GLOSSIES . . .
MATTES . . .
COLOR PRINTS



MODEL A25

Your assurance that all prints will be smooth, flat, true to tone and ready for display a few minutes after processing. Have heavy duty, quick acting thermostat regulating a wide temperature range essential in drying different types of paper (single weight glossies, double weight mattes and particularly COLOR). The model 25-S is recommended for color prints.

Engineered to provide even and accurate heat radiation over the ENTIRE area (something that cannot be attained in small radius rotary type dryers especially when drying larger sized prints). Uneven heating of platens is what causes buckling, wrinkling, warping and oyster shell on gloss surfaces. The controlled heat, equalized over the entire surface of the platen, combined with the variable apron tension device, permits the operator to control the moisture release from the paper and prevents points of stress which cause warping.

Drying surface is correctly curved and made of heavy steel, first copper plated then nickel and chrome plated. Assures uniform heat and greater heat reflectivity. Has a ruby neon pilot light and a pre-shrunk canvas apron. The A-24 dryer is capable of drying 48 SW 8 x 10 prints hourly. By using two or more A-24 dryers, you can achieve as much production as with the large volume dryers and the capital investment is much less.

MODEL	VOLTAGE	WATTS	CHROME DRYING AREA	PRICE
A21	110-120	775	15¾" x 21"	$52.50
A25	A.C. Only	1000	19½" x 24¾"	60.00
A-25-S		1000	Stainless 19½" x 24¾"	83.00

ENLARGING EASEL



THIS IS THE FASTEST LOADING MOST PRACTICAL EASEL ON THE MARKET!

The ARKAY EASY-EASEL allows perfect placement of prints in one-easy-motion. No pressing on prints, no fuss, no bother. Just press the lever . . . insert the paper to the pin stop. No other easel makes enlarging so easy.

- Handle depresses platen at finger touch for paper insertion.
- No heavy frame to lift — set and reset.
- Automatic border compensation.
- Perfect for cropping and production work.
- Handles all sized prints up to easel size.
- Focusing area is 1" above base of enlarger. Wonderful for use with auto-enlargers.

Available in 11 x 14 size only.....$11.50



These Type 316 Stainless Steel trays are heliarc welded, ground, polished and passivated so that the finished tray is one piece seamless construction. Easy to clean, resist stain and provide highest temperature conductivity. Sides are tapered for easy nesting for storage. Full ½" lip gives rigid support to trays. Arkay trays give you a lifetime of quality performance . . . can't chip, crack or rust. Available in 16 sizes to fit standard cut film—other sizes made quickly to your specifications.

Catalog No.	For Size Material	Dimension at Bottom	Deep	Outside Dimension at Top	Price
1114-3	11" x 14"	12" x 15"	x 3"	14" x 17"	$17.95
1417-3	14" x 17"	12" x 15"	x 3"	17" x 20"	22.75
1620-3	16" x 20"	17" x 21"	x 3"	19" x 23"	25.75
1822-3	18" x 22"	19" x 23"	x 3"	21" x 25"	27.75
2024-3	20" x 24"	21" x 25"	x 3"	23" x 27"	35.45
2228-3	22" x 28"	23" x 29"	x 3"	25" x 31"	46.00
2630-3	26" x 30"	27" x 31"	x 3"	29" x 33"	52.00
3040-3	30" x 40"	31" x 41"	x 3"	33" x 42"	78.00
3640-3	36" x 40"	37" x 41"	x 3"	39" x 43"	83.50
4048-3	40" x 48"	41" x 49"	x 3"	43" x 51"	99.95
1114-6	11" x 14"	12" x 15"	x 6"	15" x 18"	27.25
1417-6	14" x 17"	15" x 18"	x 6"	18" x 21"	31.00
1620-6	16" x 20"	17" x 21"	x 6"	20" x 24"	33.00
2024-6	20" x 24"	21" x 25"	x 6"	24" x 28"	47.75
2228-6	22" x 28"	23" x 29"	x 6"	26" x 32"	70.00
3040-6	30" x 40"	31" x 41"	x 6"	34" x 44"	97.50

MODEL 81-14HR MODEL 81-4HR



FILM HANGER RACKS

These racks give faster, better results three ways: their quick "on-off" handles mean easy handling; deep slotted top assures minimum hanger sway; and ribbed vertical flat bars on bottom frame guarantee unobstructed burst distribution.

Sizes to fit ALL standard developing tanks. Racks are of 316 Stainless Steel, deep slotted on the top sides to accept hangers. Hangers can't rock or sway in use, can't damage film by touching film in next holder. Hangers stay in place to shake off excess water. Easy to load and unload because handles snap in and out in seconds. Rigid new vertical bar eliminates bottom frame angle that otherwise would block burst at sides. No individual hanger handling—this saves you money in labor costs. Seven models available.

Model No.	Hanger Capacity	Tank Size	Price
81-14HR	14 (8 x 10)	3½ gal.	$ 8.65
81-4HR	4 (8 x 10)	1 gal.	8.00
57-4HR	10 (5 x 7)	1 gal.	8.30
45-4HR	16 (4 x 5)	1 gal.	8.30
45-2HR	8 (4 x 5)	½ gal.	7.30
114-14HR	7 (11 x 14)	3½ gal.	12.50
81-8HR	7 (8 x 10)	2 gal.	8.60

ARKAY CORPORATION • 228 South First Street • Milwaukee, Wisconsin • Area Code 414 276-9197

QUALITY EQUIPMENT FOR THOROUGH WASHING

ARKAY

"1620" LOADMASTER PRINT WASHER

HERE IS A REAL WORKHORSE. THE ARKAY LOADMASTER HAS MORE PRODUCTION CAPACITY, FOR THE SMALL SPACE IT CONSUMES, THAN ANY OTHER PRINT WASHER ON THE MARKET.



Offers production washing of prints more thoroughly, faster and at a minimum cost.

Operated solely by water power. The only operating cost of this unit is water which is consumed anyway in the washing process. The constant rotation of the perforated cylinder drum gives prints a thorough washing in shortest possible time, eliminating matting of prints to each other or to the side of drum.

100% stainless steel construction with brass fittings, for years of rust-free, trouble-free operation.

Simple to operate as it is durable in construction. Attention is required only while loading or unloading prints. Self draining. Simply slip the end of the drain hose out of its holding ring, and drop it into the sink. Splash guard prevents water from splashing over as cylinder rotates.

Completely water powered. NO electrical or mechanical parts to brea down. No gears to wear out. No maintenance costs.

MODEL 1620
Size: 21¼" x 15" x 13" deep.
Water capacity: 10 gallons, 6 changes per hour.
Connections: None required. Connects to any faucet. Comes with intake, drain and overflow hoses.
Consumption: One gallon per minute.
Load Capacity: Approx. 75, 8 x 10 S.W. prints at one time.
Print Sizes Accommodated: Up to and including 11" x 14".
Price: $99.95

FILM WASHERS



The illustration above shows the water currents which are created by the exclusive ARKAY angular streams system.

MODEL 58-D

The biggest news in modern film washers! Made of 316 stainless steel. Water enters through **double length** of tubing with staggered perforations that direct streams of water in an angular flow against the bottom and toward the sides of the washer, forcing the water up the sides. Part of it is forced through the elongated orifices of the ledges, and the balance is deflected toward the top center of the washer. This, in turn, is drawn down past the films by the gentle currents created by the angular streams (see illustration). THERE ARE NO DEAD HYPO POCKETS. Heliarc welded, wide flanged top, plus welded corner angles, make this the most rigid and durable construction possible. Emptying this big washer is an effortless pleasure. Simply slip the self drain hose from its holding ring and the washer empties itself. Hangers and racks are completely submerged in water, preventing any possible contamination in subsequent handling. Two models available.

MODEL 58-D
Capacity: 2, 8 x 10 Hanger Racks or 18, 8 x 10 and 24, 5 x 7 Film Hangers.
Overall Size: 14" x 21¼" x 14" deep.
Tank Size: 13" x 20¼" x 14" deep.
Price: $72.45

MODEL 58-S
Same deluxe features as MODEL 58-D. Differs only in size and capacity.
Capacity: 1, 8 x 10 Hanger Rack, or 18, 8 x 10 or 24, 5 x 7 Film Hangers.
Overall Size: 11" x 14" x 14" deep.
Tank Size: 10" x 13" x 14" deep.
Price: $41.75

CUSTOM CUT FILM WATER JACKETS

DEVELOP—FIX—RINSE AND WASH



MODEL 81-14-2WJ

These units are all you need for developing, rinsing and fixing sheet film and plates. Give you fast, efficient temperature control of processing solutions. Unit consists of welded Water Jacket and two insert tanks. Water Jackets are equipped with standard size intake and overflow fittings. Ample space allowed between the insert tanks for rinsing. Available in 4 standard sizes for maximum chemical economy.

Model	Solution Capacity	Hanger Capacity	Size	Price
81-14-2WJ	3½ gal.	18 — 8 x 10's	13" x 30" x 12½"	$104.00
57-4-2WJ	1 gal.	12 — 5 x 7's	10" x 18¾" x 9"	68.00
45-4-2WJ	1 gal.	24 — 4 x 5's	11" x 20½" x 7¾"	77.00
45-2-2WJ	½ gal.	12 — 4 x 5's	7¾" x 17⅝" x 7¾"	58.00

Daylight covers for all model water jackets available.

RAPID PRINT WASHERS



SIMPLE — EFFICIENT — ECONOMICAL

DIRECT ACTION . . . Water from 21 powerful jets gushes constantly with STRAIGHT LINE FLOW through Washer agitating the prints, sweeping their upper and under sides with force. It at once engages and dilutes the hypo and then carries it straight through the Washer and out the other side in the shortest time. Motion of the water keeps prints suspended, does not permit them to stick together. "Ribs" prevent the prints from sticking to the bottom. Takes 10 to 12 full sized prints at one loading. Available in three Models:

MODEL 1114-S (type 316 Stainless Steel) . . . **$23.00**
MODEL 1114-G (rust resistant zinc coated steel) **10.50**
MODEL 810-W (Bakelite construction) **7.45**
MODEL 1620-SW (type 316 Stainless Steel) . . **62.00**



NEW CHEMICAL MIXER

Mixes 1 to 15 gallons Arkay's new portable mixer circulates 1½ gallons per minute. Rugged beige fiberglass construction is corrosion and acid resistant. High powered pump allows operator to rapidly transfer solution to upper storage tanks, up to 8 feet high levels. Moved easily on four heavy duty casters. Gallon markings clearly indicated. Tight seal covers reduce oxidation, minimize contamination. Two nylon faucets, one for top discharge and one to completely drain tank to prevent contamination. Stainless steel filter grid. Pilot light. Heavy duty motor. Model M15.

Price: $240.00

ARKAY CORPORATION • 228 South First Street • Milwaukee, Wisconsin • Area Code 414 276-9197

HIGH VOLUME ROTODRYER



Automatic "cool-off" control prevents apron scorch, burning. Increases production. Arkay's new functional design provides highest production drying of B&W or Color. Controls centered on front console. Big 24" wide drying area . . . quick, easy, roller release . . . extra large squeegee . . . thermostatically controlled heat . . . constant apron tension control . . . seamless drum . . . variable apron speed: 6" to 20" per minute. Handles 230 (8 x 10 SW), 150 (8 x 10 DW), 135 (8 x 10 color prints) hourly. All steel construction. Grey hammertone finish. Compact size: 34½ W x 54½ L x 69 high. Model 260 with Chrome Plated Drum. Price: $645.00 (Price includes Stand).

Model 260 SS with Stainless Steel Chrome Plated Drum. (for color) Price: $865.00 (Price includes Stand)

5 STEP COLOR PRINT PROCESSOR

(16 x 20' — 3½ GAL.)



The Model EC 1620-5 is designed specifically for Ektaprint C. Has a load capacity ranging from 48, 8 x 10" to 12, 16 x 20" prints.

Unit offers basic essentials required in semi-automatic processing equipment, yet no item of necessity or convenience has been eliminated in its design. It guarantees full control of water temperatures and nitrogen burst agitation.

Unit comes equipped with:

MASTER WATER JACKET HOUSING — Type 316 Stainless Steel, heavy-gauge, heliarc welded, passivated and polished. FIVE 3½ GAL. CHEMICAL TANKS WITH COVERS; TWO QUICK DUMP TANKS; NITROGEN BURST SYSTEM; WATER TEMPERATURE REGULATOR with three built-in vacuum breakers for safety; LUMINOUS DIAL THERMOMETER; WATER VOLUME CONTROL VALVES; SIPHON DRAIN; SPRAY ATTACHMENT — The master unit comes complete with all gas, plumbing lines and electrical work completed. Model EC 1620-5 complete $1495.00.

TABLE TOP B&W OR COLOR PRINT DRYER

Handles up to 100, 8 x 10 single weight or 40, 8 x 10 double weight or color prints per hour. Has thermostatically controlled internal drum heater and two external radiant panel heaters for even heat distribution over entire surface of drum. Handsomely styled, ruggedly built, will last for years! All controls on front "eye-level" panel. Overall dimensions: depth, 30" open, 22" closed. Height, 19". Width, 27". Apron speed, variable 3" to 16" per minute. Drum width, 22". Drying width, 21". Drum, chrome plated heavy gauge stainless steel. 15" diameter, constant apron tension with lateral tracking adjustment. Thermostatically controlled cool down — shuts off automatically. Tilt tray closes front of dryer when not in use — keeps apron and drum clean. Weight, 75 lbs. Price $395.00 F.O.B. Milwaukee, Wisconsin.

COLOR FILM and PRINT PROCESSOR



The compact streamlined design of this equipment, together with complete control of solution temperature and automatic burst, assures you excellent results time after time. Can be used for 8 x 10" color positive or color negative film, Ektaprint C prints and roll film merely by changing solutions and using accessories.

System contains 5, 8 x 10" 3½ gal. solution tanks. The Master Water Jacket is partitioned into 3 smaller water jacket compartments plus 2 sump compartments that house the 2 Quick Dump Tanks.

Also included are the Instrument Panel, housing the Water Temperature Regulator, Temperature Dial, Burst Timer, 3 Water Valves, and Vacuum Breakers. The panel is completely plumbed ready for hook-up and pre-adapted for Arkay Even-Temp Heater Recirculator.

Floor space: 23½" x 84¼" long. Model 81-14CP-5 Complete $1550.00.

STANDARD AND DAYLIGHT TANKS



The finest quality Professional tanks obtainable — ANYWHERE. Made of 316 polished stainless steel. Body wrapper is ONE PIECE construction for easier cleaning and much longer tank life. No solder to contaminate chemicals. All heliarc welded construction. Arkay tanks are exceptionally strong, built for long, hard usage.

CAPACITY		STANDARD TANKS		FLOATING LIDS		COVERS	
Quarts	Hanger	Model	Price	Model	Price	Model	Price
1	6—4x5's	45-1	$ 8.75	45-1FL	$3.50	45-1C	$3.75
2	12—4x5's	45-2	10.60	45-2FL	4.00	45-2C	4.25
4	24—4x5's	45-4	15.25	45-4FL	4.50	45-4C	4.75
2	6—5x7's	57-2	11.25	57-2FL	3.75	57-2C	4.00
4	12—5x7's	57-4	13.75	57-4FL	4.50	57-4C	4.75
4	6—8x10's	81-4	14.00	81-4FL	3.75	81-4C	4.25
14	18—8x10's	81-14	20.00	81-14FL	6.00	81-14C	6.50
14	8—11x14's	114-14	33.00	114-14FL	7.50	114-14C	8.50

FLOATING LIDS—Lids' float on top of chemical solutions permitting only minimum oxidation of costly solutions.

COVERS — Used to cover contents of chemical tanks and prevent contamination with other solutions from over-splash.



DAYLIGHT TANKS

MODEL	PRICE
45-1DL	$19.95
45-2DL	22.00
45-4DL	24.95
57-2DL	23.00
47-4DL	28.25
81-4DL	28.50
81-14DL	36.00

MANUAL TYPE COLOR PROCESSOR



For safe, expert processing of Ektachrome, Anscocolor, Ansco Printon and Ektacolor sheet film. Made of burnished type 316 Stainless Steel. Designed to maintain close temperature control — so very necessary in color work. Heliarc welded for highest rigidity possible. Extra long water jackets allow plenty of space between insert tanks for rinsing after each operation even when as many as eight insert tanks are used.

A cascade baffle, welded into the Water Jacket, prevents any possible backwash of bleach to contaminate the rinse water in the developer end of the Jacket. All Water Jackets are equipped with the ARKAY self-drain system . . . also with ¾" nipples that accept standard ¾" I.D. hose. Water Jackets have the right number of outlet nipples for correct water flowage to maintain proper temperature control. Model 81-4-8WJ, 8 x 10, 1 gal. 13 x 35 x 11" deep. (Includes 6 Insert Tanks). Price: $174.00.

REEL RACKS

(For 620-120, 35mm, 127 and 220 Reels)



This developing rack accommodates 35 mm, 120 and 620 Nikor or Kindermann Reels. Requires no costly extra adapters. The omission of reel center posts allows the passage of light through the reels to the film when making reverse exposure. Fits any 3½ gallon tank. Circulation of agitated solutions or gas bubbles goes directly upward through the reels and film. The basket has a Control Strip film holder.

Made of type 316 Stainless Steel. All parts welded to form a rugged unit. Capacity: thirty 35 mm reels or eighteen 120-620 reels or any combination. Price: $25.75 — Model 220-14 Rack to accommodate 9 model 220 reels $27.50 — Model 81-8RR (has ½ capacity of 35-14) $23.50



Even-Temp WATER HEATER RECIRCULATOR

Heater-Recirculating — Water Temperature Control

High temperature, high speed color processing requires 85 degree operating temperature. This new Arkay unit assures constant temperature for your color processing work. Saves water, can be used with any color processor only $195.00.